

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMER United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

FIRST NAMED INVENTOR ATTORNEY DOCKET NO. CONFIRMATION NO. APPLICATION NO. FILING DATE 10/807,681 03/24/2004 Stephen R. Barnes 2004P03345US 4420 **EXAMINER** 7590 11/17/2004 **Siemens Corporation** JAWORSKI, FRANCIS J **Intellectual Property Department** ART UNIT PAPER NUMBER 170 Wood Avenue South Iselin, NJ 08830 3737

DATE MAILED: 11/17/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)	
Office Action Summary	10/807,681	BARNES ET AL.	
	Examiner	Art Unit	
	Jaworski Francis J.	3737	
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address	
A SHORTENED STATUTORY PERIOD FOR REPLY THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	6(a). In no event, however, may a reply be tim within the statutory minimum of thirty (30) days ill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	nely filed s will be considered timely. the mailing date of this communication. D (35 U.S.C. § 133).	
Status			
1) Responsive to communication(s) filed on			
2a) This action is FINAL . 2b) This	action is non-final.		
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is			
closed in accordance with the practice under E	x parte Quayle, 1935 C.D. 11, 45	53 O.G. 213.	
Disposition of Claims			
4)⊠ Claim(s) <u>1 - 34</u> is/are pending in the application.			
4a) Of the above claim(s) is/are withdrawn from consideration.			
5) Claim(s) is/are allowed.			
6)☐ Claim(s) is/are rejected.			
7) Claim(s) is/are objected to.			
8) \boxtimes Claim(s) $1 - 34$ are subject to restriction and/or	election requirement.		
Application Papers		•	
9) The specification is objected to by the Examine	ſ.		
10) The drawing(s) filed on is/are: a) acce	epted or b) \square objected to by the E	Examiner.	
Applicant may not request that any objection to the	drawing(s) be held in abeyance. See	37 CFR 1.85(a).	
Replacement drawing sheet(s) including the correcti	•		
11)☐ The oath or declaration is objected to by the Ex	aminer. Note the attached Office	Action or form PTO-152.	
Priority under 35 U.S.C. § 119			
12) Acknowledgment is made of a claim for foreign	priority under 35 U.S.C. § 119(a)	-(d) or (f).	
a) All b) Some * c) None of:			
 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 			
3. Copies of the certified copies of the priority documents have been received in this National Stage			
application from the International Bureau			
* See the attached detailed Office action for a list		ed.	
	,		
Attachment/c)			
Attachment(s) 1) Notice of References Cited (PTO-892)	4) 🔲 Interview Summary	(PTO-413)	
2) Dotice of Draftsperson's Patent Drawing Review (PTO-948)	Paper No(s)/Mail Da	ate	
3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date	6) Other:	atent Application (PTO-152)	
S. Patent and Trademark Office			

Art Unit: 3737

DETAILED ACTION

Election/Restrictions

Restriction to one of the following inventions is required under 35 U.S.C. 121:

- I. Claims 1 11, drawn to Method and Apparatus for Elevational Synthetic Aperture Formation Using Differing Ultrasound Data Sets, classified in class 600, subclass 443.
- II. Claims 12 26, drawn to Method and Apparatus For Forming Synthetic Elevational Apertures Including Rotated Apertures Using Differing Element Interconnections, classified in class 600, subclass 447
- III. Claims 27 32, drawn to Method For Imaging Using DifferingVolume and Mode data, classified in class 600, subclass 407
- IV. Claims 33 34, drawn to A Method for Synthetic Elevational Aperture Formation Using Subapertures, classified in class 600, subclass 447.

The inventions are distinct, each from the other because of the following reasons:

Inventions I and II - IV are related as combination and subcombination.

Inventions in this relationship are distinct if it can be shown that (1) the combination as claimed does not require the particulars of the subcombination as

claimed for patentability, and (2) that the subcombination has utility by itself or in other combinations (MPEP § 806.05(c)). In the instant case, the combination as claimed does not require the particulars of the subcombination of Group II as claimed because a beam is formed across the aperture as a function of both ultrasound data sets as a broadband process, while the subcombination has separate utility such as in system architectures using an (optional – para [0019]) switch bank, or in the Group III case electromagnetic propagation systems such as microwave (ultrasound not claimed in this claim set), or in the case of Group IV, separate utility is in systems using subaperture combinations.

Because these inventions are distinct for the reasons given above and have acquired a separate status in the art as shown by their different classification, restriction for examination purposes as indicated is proper.

Because these inventions are distinct for the reasons given above and the search required for Group III in 128/916 volums scanning ultrasoundand/or other propagation mode scanning is not required for the other Groups, which in turn for example Group II requires 600/626 switched scanning search, restriction for examination purposes as indicated is proper.

This application contains claims directed to the following patentably distinct species of the claimed invention: 1) temporal domain (delay-and-sum) beamformation, and 2) frequency domain beamformation.

Applicant is required under 35 U.S.C. 121 to elect a single disclosed species for prosecution on the merits to which the claims shall be restricted if no

Application/Control Number: 10/807,681

Art Unit: 3737

generic claim is finally held to be allowable. Currently, at least claims 1, 9 - 10, 12 - 15, 17 - 20 (since claim 20 claims both species in the alternative), 21 - 23, 27 - 28 and 33 - 34 are considered to be generic.

Applicant is advised that a reply to this requirement must include an identification of the species that is elected consonant with this requirement, and a listing of all claims readable thereon, including any claims subsequently added.

An argument that a claim is allowable or that all claims are generic is considered nonresponsive unless accompanied by an election.

Upon the allowance of a generic claim, applicant will be entitled to consideration of claims to additional species which are written in dependent form or otherwise include all the limitations of an allowed generic claim as provided by 37 CFR 1.141. If claims are added after the election, applicant must indicate which are readable upon the elected species. MPEP § 809.02(a).

Should applicant traverse on the ground that the species are not patentably distinct, applicant should submit evidence or identify such evidence now of record showing the species to be obvious variants or clearly admit on the record that this is the case. In either instance, if the examiner finds one of the inventions unpatentable over the prior art, the evidence or admission may be used in a rejection under 35 U.S.C. 103(a) of the other invention.

A telephone call was made to Craig Summerfield on 11052004 to request an oral election to the above restriction requirement, but did not result in an election being made but rather a written restriction was requested.

Art Unit: 3737

Applicant is advised that the reply to this requirement to be complete must include an election of the invention to be examined even though the requirement be traversed (37 CFR 1.143).

Applicant is reminded that upon the cancellation of claims to a non-elected invention, the inventorship must be amended in compliance with 37 CFR 1.48(b) if one or more of the currently named inventors is no longer an inventor of at least one claim remaining in the application. Any amendment of inventorship must be accompanied by a request under 37 CFR 1.48(b) and by the fee required under 37 CFR 1.17(i).

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jaworski Francis J. whose telephone number is 1 – 571-272-4738. The examiner can normally be reached on 8:30 - 5:00 Mon - Fri..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Brian Casler can be reached on 1-571-272-4956. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 3737

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

FJJ:fjj 11052004

Francis J. caworski Primary Examiner